

Parebattages gonflable Inflatable fenders Defensas inflables



Naberan®
www.naberan.com

Avec des valves / With valves / Con válvulas



Ref	Ø	Longeur Length Largo	Flotabilité Buoyancy Flotabilidad	N7Ctn. Quant/crt. Num./ctn.	m ³ /crt m ³ /crt m ³ /ctn	Poids/ctn. Kilo/crt Peso/ctn
	mm	mm	Kg/kg/peso			
JF 0520	125	510	5	20	0,079	16
JF 0623	150	585	6,5	15	0,079	16
JF 0822	200	560	14	10	0,079	18
JF 0827	200	705	23	8	0,079	19
JF 1025	250	635	29	7	0,079	17
JF 1035	250	890	33	5	0,094	18
JF 1232	300	810	43	4	0,075	15
JF 1242	300	1060	65	4	0,094	19
JF 1550	380	1270	116	1	0,065	8

Parebattage serie "F" Fenders "F" line Defensas serie "F"



Ref.	Ø	Flotabilité Buoyancy Flotabilidad	Circ.	Trou Hole Agujero	Longeur Length Largo	Poids Weight Peso
	mm	kg	mm	mm	mm	kg
F-0	115	3	360	15	420	0,8
F-1/A	150	6,7	460	15	500	1,19
F-1/A	150	8	460	15	610	1,46
F-2/A	180	10	540	15	610	1,6
F-2	220	13	680	25	620	2,1
F-3	220	20	680	25	750	3,06
F-4	220	35	680	25	1060	4,47
F-6	300	75	950	25	1090	5,5

Naberan sareak sl

Mutrikuko Industrialdea 15 zb
20830 Mutriku (Gipuzkoa) Spain
Telf: +34943195122 Fax: +34943195125
naberan@naberan .com

01

Naberan France

Avenue de la republique
29730 Le Guilvinec, France
Telf: +33(0)298582739 Fax: +33(0)298580475
naberan.france@wanadoo.fr

Parebattages rempli de mousse
Blowmoulded fenders
Defensas mat. expandido

Avec la valve / With valve / Con válvula



Naberan[®]
www.naberan.com



Ref.	Ø	Longeur Length Largo	Flotabilité Buoyancy Flotabilidad Kg/kg/peso	nN7Ctn. Quant/crt. Num./ctn.	m ³ /crt m ³ /crt m ³ /ctn	Poids/ctn. Kilo/crt Peso/ctn
JF 312	90	320	1,4	50	0,079	15
JF 416	102	430	2,3	40	0,079	17
JF 518	127	460	4,4	24	0,079	19
JF 621	152	560	6	15	0,079	15

Naberan sareak sl

Mutrikuko Industrialdea 15 zb
20830 Mutriku (Gipuzkoa) Spain
Telf: +34943195122 Fax: +34943195125
naberan@naberan .com

02

Naberan France

Avenue de la republique
29730 Le Guilvinec, France
Telf: +33(0)298582739 Fax: +33(0)298580475
naberan.france@wanadoo.fr



Naberan®

www.naberan.com

Ballon gonfable Swellable marker buoys Balizas hinchables



Ref	Ø	circ.	Flotabilité Buoyancy Flotabilidad	Num./crt. Quant/crt. Num./ctn.	m ³ /crt m ³ /crt m ³ /ctn	Poids/crt Kilo/crt Peso/ctn	Trou Eye =Ø Ojo
	mm	mm	Kg/kg/peso				
JB 020	160	510	2	35	0,079	16	18
JB 030	240	760	8,5	20	0,079	16	18
JB 040	320	1015	23	10	0,079	15	28
JB 050	405	1270	46	7	0,079	18	28
JB 060	480	1525	72	3	0,075	15	28
JB 075	610	1905	118	3	0,094	19	28
JB 100	810	2540	280	1	0,1	10	32
JB 120	965	3028	540	1	0,1	14	32
JB 135	1100	3429	675	1	0,1	18	32

Bouée Serie "A" Bouy "A" line Boya Serie "A"



Ref.	Ø	Flotabilité Flotability Flotabilidad	Circ.	Trou Hole Agujero	Longeur Length Largo	Poids Weight Peso
	cm	kg	cm	cm	cm	kg
A-0	20	6	70	2,5	27	0,9
A-1	29	12	90	2,5	41	1,42
A-2	34	17,5	110	2,5	49	2,1
A-3	46	32	144	2,5	57	3,2
A-4	53	59	166	2,5	64	4,3
A-5	62	105	194	3,5	80	5,6
A-6	85	250	267	3,5	100	11,5

Naberan sareak sl

Mutrikuko Industrialdea 15 zb
20830 Mutriku (Gipuzkoa) Spain

Telf: +34943195122 Fax: +34943195125

naberan@naberan .com

03

Naberan France

Avenue de la republique
29730 Le Guilvinec, France

Telf: +33(0)298582739 Fax: +33(0)298580475

naberan.france@wanadoo.fr

Bouée gonflable d'amarre
 Swellable mooring buoys
 Balizas hinchables de amarre




Naberan®
 www.naberan.com



Ref.	Ø	circ.	Flotabilité Buoyancy Flotabilidad	Num./crt. Quant/crt. Num./ctn.	m ³ /crt m ³ /crt m ³ /ctn	Poids/crt Kilo/crt Peso/ctn	Axe Rod = Ø Barra
	mm	mm	Kg/kg/peso				
JM 030 SH	240	760	7	8	0,079	16	12
JM 040 SH	330	1015	17,5	6	0,075	16	12
JM 050 SH	405	1270	34	3	0,075	15	16
JM 060 SH	480	1525	60	3	0,094	18	16
JM 075 SH	605	1905	120	2	0,12	18	16
JM 100 SH	810	2504	260	1	0,1	14	20

Bouée gonflable d'amarre
 Swellable mooring buoys
 Boyas hinchables



Ref.	Ø	Longue Lenght Largo	Flotabilité Buoyancy Flotabilidad	Num./crt. Quant/crt. Num./ctn.	m ³ /crt m ³ /crt m ³ /ctn	Poids/crt Kilo/crt Peso/ctn	Axe Rod =Ø Barra
	mm	mm	Kg/kg/peso				
JM 030 L	240	760	7	10	0,094	20	12
JM 040 L	330	1015	17	6	0,094	18	12
JM 050 L	405	1270	34	4	0,12	23	16
JM 060 L	480	1525	61	2	0,1	14	16
JM 075 L	605	1905	120	1	0,1	9	16
JM 100 L	810	2504	260	1	0,1	15	20

Naberan sareak sl

Mutrikuko Industrialdea 15 zb
 20830 Mutriku (Gipuzkoa) Spain
 Telf: +34943195122 Fax: +34943195125
 naberan@naberan .com

04

Naberan France

Avenue de la republique
 29730 Le Guilvinec, France
 Telf: +33(0)298582739 Fax: +33(0)298580475
 naberan.france@wanadoo.fr

Balise gonflable en P.V.C.
Swellable P.V.C.
Baliza hinchable de P.V.C




Naberan[®]
www.naberan.com

Armee avec lanterne de cellule photo-electrique
Beacon provided with photo-electric cell torch
Armada con linterna de celula fotoelectronica



Ref.	Ø	circ.	Longeur Length Largo	Trou Hole = Ø Agujero	Flotabilité Buoyancy Flotabilidad	Poid Weight Peso
CC-2-FO	cm	cm	cm	cm	Kg	Kg
CC-3-FO	40	125	45	5	22	6
	50	155	55	5	54	7,1

Balise gonflable en P.V.C.
Swellable P.V.C. Beacon
Baliza hinchable de P.V.C.



Ref	Ø	circ. circ. circ.	Largueur Length Largo	Trou Hole Agujero	Flotabilité Flotability Flotabilidad
CCF-2	cm	mm	grs	cm	Kg
CCF-3	40	125	45	5	23
	50	155	55	5	55

Naberan sareak sl

Mutrikuko Industrialdea 15 zb
20830 Mutriku (Gipuzkoa) Spain
Telf: +34943195122 Fax: +34943195125
naberan@naberan .com

05

Naberan France

Avenue de la republique
29730 Le Guilvinec, France
Telf: +33(0)298582739 Fax: +33(0)298580475
naberan.france@wanadoo.fr

Bouée gonflable Swellable bar buoys Boyas hinchables



Naberan®
www.naberan.com



Ref.	Ø	Longue Lenght Largo	Flotabilité Buoyancy Flotabilidad	Num./crt. Quant/crt. Num./ctn.	m ³ /crt m ³ /crt m ³ /ctn	Poid/crt Kilo/crt Peso/ctn	Trou Eye = Ø ojo
JBB 030	mm	mm	Kg/kg/peso				
JBB 030	240	760	8	12	0,079	15	50
JBB 040	330	1015	18,5	9	0,079	16	50
JBB 050	405	1270	36	4	0,079	16	50
JBB 060	480	1525	62	2	0,079	12	50
JBB 075	605	1905	123	2	0,075	13	50
JBB 100	810	2504	269	1	0,1	11	50

Balises multiusage Multipurpose buoys Balizas multiuso



Ref.	Ø	Flotabilité Buoyancy Flotabilidad	Circ.	Trou Hole Agujero	Longeur Length Largo	Poids Weight Peso
	mm	kg	mm	mm	mm	kg
CC-1HD	310	13	970	38	360	1,9
CC-2HD	430	31	1350	52	440	2,9
CC-3HD	520	59	1640	52	550	4,3
CC-4HD	640	114	2010	52	670	6
CC-5HD	810	224	2530	81	850	11,6

Naberan sareak sl

Mutrikuko Industrialdea 15 zb
20830 Mutriku (Gipuzkoa) Spain
Telf: +34943195122 Fax: +34943195125
naberan@naberan .com

06

Naberan France

Avenue de la republique
29730 Le Guilvinec, France
Telf: +33(0)298582739 Fax: +33(0)298580475
naberan.france@wanadoo.fr

Flotteur avec trou central
 Float with central hole
 Flotador con agujero central




Naberan[®]
 www.naberan.com

Ref.	Ø	Flotabilité Flotability Flotabilidad	Profondeur Depth Profundidad	Trou Hole Agujero
N-280/6	mm 280	grs 8400	mts 600	mm 24
N-280/8A	280	8400	800	24
N-280-10	280	7500	100	24
N-280-13A	280	7500	1300	24



Ref.	Ø	Flotabilité Flotability Flotabilidad	Profondeur Depth Profundidad	Trou Hole Agujero
N-90/8	mm 200	grs 3200	mts 800	mm 21
N-90/13	200	3100	1300	21
N-90/15A	200	3100	1500	21
N-90/18A	200	2800	1800	21



Flotteur de grande profondeur
 Great depth float
 Flotador de gran profundidad

Ref	Ø	Flotabilité Flotability Flotabilidad	Profondeur Depth Profundidad
N-95/18	mm 200	grs 3500	mts 1800



Naberan sareak sl

Mutrikuko Industrialdea 15 zb
 20830 Mutriku (Gipuzkoa) Spain
 Telf: +34943195122 Fax: +34943195125
 naberan@naberan .com

07


Naberan France

Avenue de la republique
 29730 Le Guilvinec, France
 Telf: +33(0)298582739 Fax: +33(0)298580475
 naberan.france@wanadoo.fr

Flotteur avec anses latérales
 Float with two side handles
 Flotador con asas laterales



Naberan[®]
 www.naberan.com



Ref.	Ø	Flotabilité Flotability Flotabilidad	Profondeur Depth Profundidad
	mm	grs	mts
N-140 J/3	300	11920	300
N-140 J/5	300	10890	500
N-140 J/10	300	10010	1000
N-140 J/13A	300	10010	1000
N-140 J/15	300	8330	1500
N-140 J/20A	300	8330	2000



Ref.	Ø	Flotabilité Flotability Flotabilidad	Profondeur Depth Profundidad
	mm	grs	mts
N-100/10	250	6540	1000
N-100/18	250	5750	1800

Naberan sareak sl

Mutrikuko Industrialdea 15 zb
 20830 Mutriku (Gipuzkoa) Spain
 Telf: +34943195122 Fax: +34943195125
 naberan@naberan .com

08

Naberan France

Avenue de la republique
 29730 Le Guilvinec, France
 Telf: +33(0)298582739 Fax: +33(0)298580475
 naberan.france@wanadoo.fr

Flotteur de profondeur Depth float Flotador de profundidad



Naberan[®]
www.naberan.com

Ref.	Ø	Flotabilité Flotability Flotabilidad	Profondeur Depth Profundidad
N-80/6	mm 200	grs 3750	mts 600
N-80/6	200	3500	800
N-80/15	200	3260	1500
N-80/15A	200	3260	1800



Ref.	Ø	Flotabilité Flotability Flotabilidad	Profondeur Depth Profundidad
N-70/10	mm 175	grs 2230	mts 1000




Ref.	Ø	Flotabilité Flotability Flotabilidad	Profondeur Depth Profundidad
N-120/11	mm 135	grs 840	mts 1100
N-120-15A	135	840	1500



Ref.	Ø	Trou Hole Agujero	Flotabilité Flotability Flotabilidad	Profondeur Depth Profundidad
N-50/8	mm 135	grs 17	grs 760	mts 800
N-50/10	135	17	740	1000
N-50/13A	135	17	740	1300



Ref.	Ø	Flotabilité Flotability Flotabilidad	Profondeur Depth Profundidad
N-20/11	mm 135	grs 850	mts 1100
N-20/15A	135	850	1500



Naberan sareak sl

Mutrikuko Industrialdea 15 zb
20830 Mutriku (Gipuzkoa) Spain
Telf: +34943195122 Fax: +34943195125
naberan@naberan .com

09

Naberan France

Avenue de la republique
29730 Le Guilvinec, France
Telf: +33(0)298582739 Fax: +33(0)298580475
naberan.france@wanadoo.fr

Flotteur de profondeur

Depth float

Flotador de profundidad


Ref.	Ø	Flotabilité Flotability Flotabilidad	Profondeur Depth Profundidad
N-30/6	mm 135	grs 850	mts 600
N-30/10A	135	850	1000



Ref.	Ø	Flotabilité Flotability Flotabilidad	Profondeur Depth Profundidad
N-155/6	mm 155	grs 1700	mts 600
N-155/8A	155	1700	800



Ref.	Ø	Flotabilité Flotability Flotabilidad	Profondeur Depth Profundidad
N-110/6	mm 120	grs 790	mts 600
N-99/3	200	3500	300



Ref.	Ø	Flotabilité Flotability Flotabilidad	Profondeur Depth Profundidad
N-11/8	mm 100	grs 690	mts 800
N11/11A	100	690	1100



Ref.	Ø	Trou Hole Agujero	Flotabilité Flotability Flotabilidad	Profondeur Depth Profundidad
N-25/5	mm 100	grs 15	grs 300	mts 500
N-25/8A	100	15	300	800



Naberan sareak sl

Mutrikuko Industrialdea 15 zb
20830 Mutriku (Gipuzkoa) Spain
Telf: +34943195122 Fax: +34943195125
naberan@naberan.com

O10

Naberan France

Avenue de la republique
29730 Le Guilvinec, France
Telf: +33(0)298582739 Fax: +33(0)298580475
naberan.france@wanadoo.fr

Flotteur oval de profondeur
Depth gill net float
Flotador oval de profundidad



Naberan[®]
www.naberan.com



Ref.	Longeur Length Largo	Ø	Trou Hole Agujero	Flotabilité Flotability Flotabilidad	Profondeur Depth Profundidad
	mm	mm	grs	grs	mts
P-10/7	48	24	7	10	700
P-20/7	71	31	10 y 12	20 y 18	700
MA-45	89	60	14	135	80
CA-60/7	110	60	10	125	700
CA-60/10A	110	60	10	115	1000
T-80/5	118	52	11	85	500
Y-90/7	125	70	12	205	700
Y-90/10A	125	70	12	140	1000
Y-115/10	150	115	14	800	1000
Y-115/13A	150	115	14	800	1300

Flotteur en mousse pour seine ou filet
Skimming "EVA" for seine
Flotador espumado para cerco



Ref.	Ø	Largueur Length Largo	Trou Hole Agujero	Flotabilité Flotability Flotabilidad
	mm	mm	grs	grs
E-8/P	28	35 L	8	12
E-90/P	45	90	9	105
E-120/P	68	107	19	230
		width/ancho		
E-60/R	60	42	12	120
E-80/R	80	48	20	160
E-90/R	90	53	20	220

Naberan sareak sl

Mutrikuko Industrialdea 15 zb
20830 Mutriku (Gipuzkoa) Spain
Telf: +34943195122 Fax: +34943195125
naberan@naberan .com

O11

Naberan France

Avenue de la republique
29730 Le Guilvinec, France
Telf: +33(0)298582739 Fax: +33(0)298580475
naberan.france@wanadoo.fr