


Margouillet modelle pompier Carabine hooks Mosquetón bomberos

Acier inox / Stainless steel / Acero inox



Naberan[®]

www.naberan.com



Ref.	Mesure Size = Ø Tamaño	SWL 5:1	A	B	C	Poids Weight Peso
	mm	Ton	mm	mm	mm	kg/100
DC 06 SSA	6	0,12	60	10	9	2,9
DC 08 SSA	8	0,32	80	15	11	7,5
DC 10 SSA	10	0,5	100	20	15	14
DC 12 SSA	12	0,7	120	25	19	23,4

Naberan sareak sl

Mutrikuko Industrialdea 15 zb
20830 Mutriku (Gipuzkoa) Spain
Telf: +34943195122 Fax: +34943195125
naberan@naberan .com

D1


Naberan France

Avenue de la republique
29730 Le Guilvinec, France
Telf: +33(0)298582739 Fax: +33(0)298580475
naberan.france@wanadoo.fr

Maillon rapide Quick links Eslabones



Naberan[®]
www.naberan.com



Ref.	Mesure Size = Ø Tamaño	SWL 5:1	A	B	C	Poids Weight Peso	Cant/carton Number/box No/caja	
	Ton	mm	mm	mm	mm	kg/100	stk.	
DQ 04 GA O	4	0,18	31	11	5,5	1,2	100	<i>Galvanisée Galvanized Galvanizados</i>
DQ 05 GA O	5	0,28	39	13	6,5	2,1	100	
DQ 06 GA OK	6	0,4	45	14	8	3,5	100	
DQ 06 GA OL	6	0,35	59	14	15	4,2	100	
DQ 08 GA OK	8	0,7	58	17	13	7,7	100	
DQ 08 GA OL	8	0,65	72	17	18	9,3	50	
DQ 10 GA O	10	1	85	20	20	16	50	
DQ 12 GA O	12	1,25	100	23	23	27	25	
DQ 14 GA O	14	2	115	27	27	42	10	
DQ 16 GA O	16	2,5	129	30	30	62,5	10	
DQ 18 GA O	18	3	143	33	33	88	10	
DQ 20 GA O	20	3,6	159	36	37	122	10	
DQ 04 SS O	4	0,28	31	11	5	1,2	100	<i>Acier Inox Stainless steel Acero inoxidable</i>
DQ 05 SS O	5	0,45	39	13	6,5	2,1	100	
DQ 06 SS OK	6	0,65	45	14	7,5	3,5	100	
DQ 06 SS OL	6	0,58	59	14	15	4,2	100	
DQ 08 SS OK	8	1,1	58	17	10	7,7	100	
DQ 08 SS OL	8	0,98	72	17	18	9,3	50	
DQ 10 SS O	10	1,6	85	20	20	16	50	
DQ 12 SS O	12	2,2	100	23	23	27	25	
DQ 14 SS O	14	3,1	115	27	27	42	10	
DQ 16 SS O	16	4	150	38	28	75	1	
DQ 19 SS O	19	5,5	175	43	32	120	1	
DQ 22 SS O	22	7	210	60	36	190	1	

Naberan sareak sl

Mutrikuko Industrialdea 15 zb
20830 Mutriku (Gipuzkoa) Spain
Telf: +34943195122 Fax: +34943195125
naberan@naberan .com

D2

Naberan France


Avenue de la republique
29730 Le Guilvinec, France
Telf: +33(0)298582739 Fax: +33(0)298580475
naberan.france@wanadoo.fr

Maillon rapide Quick links Eslabones



Naberan®
www.naberan.com


Acier inox / Stainless steel / Acero inox
Renforcé / Reinforced / Reforzado



Ref.	Mesure Size = Ø Tamaño	SWL 5:01	A	B	C	Poids Weight Peso
	Ton	mm	mm	mm	mm	kg/100
DQ 22 SS PR	22	7	210	95	40	240
DQ 25 SS PR	25	9	236	98	40	350

Maillon rapide Quick links Eslabones

Galvanisée / Galvanized / Galvanizados



Ref.	Mesure Size = Ø Tamaño	SWL 5:01	A	B	C	Poids Weight Peso	Cant/carton Number/box No/caja
	mm	Ton	mm	mm	mm	kg/100	stk.
DQB 03 GAO	3	0,1	29	10	5	0,4	100
DQB 04 GAO	4	0,18	31	11	5,5	0,8	150
DQB 05 GAO	5	0,28	39	13	6,5	1,2	100
DQB 06 GAOK	6	0,4	45	14	7,5	2,1	50
DQB 06 GAOL	6	0,35	59	14	12	4,2	50
DQB 08 GAOK	8	0,7	58	17	10	5,6	50
DQB 08 GAOL	8	0,65	72	17	16	9,3	50
DQB 10 GAOL	10	1	82	22	18	17	20
DQB 12 GAOL	12	1,25	104	25	20	28	10
DQB 14 GAOL	14	1,75	112	30	25	41	8

Naberan sareak sl

Mutrikuko Industrialdea 15 zb
20830 Mutriku (Gipuzkoa) Spain
Telf: +34943195122 Fax: +34943195125
naberan@naberan.com

D3

Naberan France


Avenue de la republique
29730 Le Guilvinec, France
Telf: +33(0)298582739 Fax: +33(0)298580475
naberan.france@wanadoo.fr

Maillon rapide Quick links Eslabones



Naberan[®]
www.naberan.com

Acier inox / Stainless steel / Acero inox



Ref.	Mesure Size = Ø Tamaño	SWL 5:1	A	B	C	Poids Weight Peso	Cant/carton Number/box No/caja
	Ton	mm	mm	mm	mm	kg/100	stk.
DQ 10 GA P	10	0,7	97	43	22	18,3	50
DQ 12 GA P	12	0,9	120	52	24	32,1	25
DQ 14 GA P	14	1,4	129	56	27	47,9	10
DQ 16 GA P	16	2	144	63	31	71,7	10
DQ 10 SS P	10	1,1	97	43	20	18,3	50
DQ 12 SS P	12	1,5	120	52	23	32,1	25
DQ 14 SS P	14	2,1	129	56	25	47,9	10
DQ 16 SS P	16	2,3	144	63	29	80	1
DQ 19 SS P	19	2,5	174	76	31	130	1
DQ 22 SS P	22	4	210	95	40	199,5	1

*Galvanisée
Galvanized
Galvanizados*

*Acier Inox
Stainless steel
Acero inoxidable*

Naberan sareak sl

Mutrikuko Industrialdea 15 zb
20830 Mutriku (Gipuzkoa) Spain
Telf: +34943195122 Fax: +34943195125
naberan@naberan.com

D4

Naberan France


Avenue de la republique
29730 Le Guilvinec, France
Telf: +33(0)298582739 Fax: +33(0)298580475
naberan.france@wanadoo.fr

Maillon rapide Quick links Eslabones



Naberan[®]
www.naberan.com


Acier inox / Stainless steel / Acero inox



Ref.	Mesure Size = Ø Tamaño	SWL 5:1	A	B	C	Poids Weight Peso	Cant/carton Number/box No/caja
	mm	Ton	mm	mm	mm	kg/100	stk.
DQB 06 SSOL	6	0,6	59	14	15	4,2	100
DQB 08 SSOL	8	0,8	73	19	17,5	9,3	50
DQB 10 SSOL	10	1,4	80	22	17,5	16	50
DQB 12 SSOL	12	2	102	25	23,5	27	25
DQB 14 SSOL	14	2,9	114	28	23,5	42	10

Maillon rapide Quick links Eslabones

Acier inox / Stainless steel / Acero inox



Ref.	Ø1	Ø2	SWL 5:1	A	B	Poids Weight Peso
	mm	mm	mm	mm	mm	kg
DQ 30 SSO	25	30	12	170	55	3,2

Split hole Ø 5 mm
Lumbrera de entrada Ø 5 mm

Naberan sareak sl

Mutrikuko Industrialdea 15 zb
20830 Mutriku (Gipuzkoa) Spain
Telf: +34943195122 Fax: +34943195125
naberan@naberan.com

D5

Naberan France

Avenue de la republique
29730 Le Guilvinec, France
Telf: +33(0)298582739 Fax: +33(0)298580475
naberan.france@wanadoo.fr


Croc Boss Boss hook Ganchos Boss

Acier inox / Stainless steel / Acero inox



Naberan[®]

www.naberan.com




BOSS
products

Ref.	SWL 5:1	A	B	C	D	E	Poids Weight Peso
	mm	mm	mm	mm	mm	mm	kg
BOSS S5S	1	27	66	111	23	19	0,5
BOSS S6S	1,25	38	77	132	27	25	0,6
BOSS S7S	2,25	37	90	153	27	29	1,2

Croc Boss Boss link Ganchos Boss

Acier inox / Stainless steel / Acero inox



BOSS
products

Ref.	SWL 5:1	A	B	C	D	Poids Weight Peso
	Ton	mm	mm	mm	mm	kg
BOSS DL 26 S	2,4	150	95	38	28	1,65
BOSS DL 27 S	5	212	132	58	31	3,6
BOSS DL 28 S	12	260	170	60	49	9,6

Naberan sareak sl

Mutrikuko Industrialdea 15 zb
20830 Mutriku (Gipuzkoa) Spain

Telf: +34943195122 Fax: +34943195125

naberan@naberan.com

D6

Naberan France

Avenue de la republique
29730 Le Guilvinec, France

Telf: +33(0)298582739 Fax: +33(0)298580475


naberan.france@wanadoo.fr

Viking croc Viking link Ganchos Vikingos



Naberan[®]
www.naberan.com

Acier haute résistance / High tensile steel / Acero alta resistencia
Trepé / Quenched and tempered / Templado
Forgé / Forged / Forjado



Ref.	SWL 5:1	A	B	C	D	E	Poids Weight Peso
	Ton	mm	mm	mm	mm	mm	kg
DV 30	3	115	70	42	30	2,5	0,7
DV 50	5	130	80	42	36	2,5	1,1
DV 80	8	145	90	42	42	2,5	1,6

Naberan sareak sl

Mutrikuko Industrialdea 15 zb
20830 Mutriku (Gipuzkoa) Spain
Telf: +34943195122 Fax: +34943195125
naberan@naberan .com

D7


Naberan France

Avenue de la republique
29730 Le Guilvinec, France
Telf: +33(0)298582739 Fax: +33(0)298580475
naberan.france@wanadoo.fr

Maille de emboîtement Split links Mallas de encaje



Naberan[®]
www.naberan.com



Ref.	Mesure Size = Ø Tamaño		SWL 5:1	A	B	Poids Weight Peso	
		mm	Ton	mm	mm	kg/100	
DS 10 GA L	3/8"	10	0,1	50	16	8,5	Acier grade 60, galvanisée Steel 60, galvanized Acero grado 60, galvanizado
DS 12 GA	1/2"	12	0,2	55	18	16,5	
DS 16 GA	5/8"	16	0,3	72	21	33	
DS 19 GA	3/4"	19	0,5	80	24	50	
DS 22 GA	7/8"	22	0,6	88	27	75	
DS 10 SS L	3/8"	10	0,2	50	16	8,5	Acier inox Stainless steel Acero inoxidable
DS 12 SS	1/2"	13	0,3	55	18	16,5	
DS 16 SS	5/8"	16	0,4	72	21	33	
DS 19 SS	3/4"	19	0,5	80	24	50	
DS 22 SS	7/8"	22	0,6	88	27	75	
DS 14 CH	9/16"	14	0,5	60	18	20	Acier chromé Chrome steel, yellow galvanized Acero cromado, galvanización amarilla
DS 16 CH	5/8"	16	0,7	72	21	33	
DS 19 CH	3/4"	19	1,4	80	23	55	
DS 22 CH	7/8"	22	1,8	88	27	75	
DS 25 CH	1"	25	2,2	94	35	110	

Naberan sareak sl

Mutrikuko Industrialdea 15 zb
20830 Mutriku (Gipuzkoa) Spain
Telf: +34943195122 Fax: +34943195125
naberan@naberan .com

D8

Naberan France

Avenue de la republique
29730 Le Guilvinec, France
Telf: +33(0)298582739 Fax: +33(0)298580475
naberan.france@wanadoo.fr


Maille de emboîtement Boss Boss split links Mallas de encaje Boss

Acier inox / Stainless steel / Acero inox



Naberan[®]

www.naberan.com



Ref.	SWL 5:1	A	B	C	Poids Weight Peso
BOSS DL 18 S	0,2	78	45	18	0,17
BOSS DL 19 S	0,4	79	50	24	0,27
BOSS DL 20 S	0,5	82	55	24	0,3
BOSS DL 21 S	1,4	108	63	25	0,7
BOSS DL 22 S	1,3	106	68	33	0,6

Naberan sareak sl

Mutrikuko Industrialdea 15 zb
20830 Mutriku (Gipuzkoa) Spain
Telf: +34943195122 Fax: +34943195125
naberan@naberan .com

D9

Naberan France

Avenue de la republique
29730 Le Guilvinec, France
Telf: +33(0)298582739 Fax: +33(0)298580475
naberan.france@wanadoo.fr


Margouillet modèle pompier Carabine hooks Mosquetón bomberos

Acier inox / Stainless steel / Acero inox



Naberan[®]

www.naberan.com



Ref.	Mesure Size = Ø Tamaño	SWL 5:1	A	B	C	D	Poids Weight Peso
	Ton	mm	mm	mm	mm	mm	kg/100
DC 05 GA	5	0,1	50	5	7	7	1,9
DC 06 GA	6	0,12	60	6	8	8	2,6
DC 07 GA	7	0,18	70	7	10	9	4,4
DC 08 GA	8	0,23	80	9	12	11	6,6
DC 09 GA	9	0,24	90	9	12	11	9
DC 10 GA	10	0,25	100	9	12	11	9,2
DC 11 GA	11	0,35	120	11	15	12	13
DC 12 GA	12	0,45	140	12	16	17	18,6
DC 05 SS	5	0,1	50	6	10	8	1,9
DC 06 SS	6	0,12	60	8	11	9	2,8
DC 07 SS	7	0,18	70	8	13	9	4,4
DC 08 SS	8	0,23	80	8	13	9	6,6
DC 10 SS	10	0,35	100	10	16	12	13
DC 11 SS	11	0,45	120	11	18	16	19
DC 12 SS	12	0,57	140	13	20	19	25,6

Galvanisée
Galvanized
Galvanizados

Acier inox
Stainless steel
Acero inoxidable

Naberan sareak sl

Mutrikuko Industrialdea 15 zb
20830 Mutriku (Gipuzkoa) Spain
Telf: +34943195122 Fax: +34943195125
naberan@naberan .com

D10

Naberan France


Avenue de la republique
29730 Le Guilvinec, France
Telf: +33(0)298582739 Fax: +33(0)298580475
naberan.france@wanadoo.fr

Margouillet modèle pompier Carabine hooks Mosquetón bomberos



Naberan[®]
www.naberan.com

Fermeture sécurité / Lock screw / Cierre seguridad



Ref.	Mesure Size = Ø Tamaño	SWL 5:1	A	B	C	D	Poids Weight Peso	
	Ton	mm	mm	mm	mm	mm	kg/100	
DC 10 GA S	10	0,7	100	11	16	10	14	Galvanisée
DC 11 GA S	11	0,8	120	12	19	15	19,8	Galvanized
DC 12 GA S	12	0,9	140	14	20	17	28,5	Galvanizados
DC 08 SS S	8	0,7	80	9	13	8	7,2	Acier inox
DC 10 SS S	10	1,1	100	12	16	10	13,2	Stainless steel
DC 11 SS S	11	1,3	120	13	19	15	19,1	Acero inoxidable

Naberan sareak sl

Mutrikuko Industrialdea 15 zb
20830 Mutriku (Gipuzkoa) Spain
Telf: +34943195122 Fax: +34943195125
naberan@naberan .com

D11

Naberan France

Avenue de la republique
29730 Le Guilvinec, France
Telf: +33(0)298582739 Fax: +33(0)298580475
naberan.france@wanadoo.fr

Margouillet Carabine hooks Mosquetones




Naberan®

www.naberan.com

Acier inox / Stainless steel / Acero inox

Fermeture en laiton / Brass sleeve / Cierre en latón

Forme de poire / Bow / Forma de pera




Ref.	Mesure size = Ø Tamaño	SWL 5:1	A	B	C	D
	mm	Ton	mm	mm	mm	mm
DC 08 SS B	8	0,06	80	14	28	14
DC 10 SS B	10	0,1	116	16	36	22
DC 12 SS B	12	0,16	115	16	36	22
DC 10 SS BR	10	0,1	115	16	36	22

Acier inox / Stainless steel / Acero inox

Fermeture en laiton / Brass sleeve / Cierre en latón

Ovale / Oval / Ovalados



Ref.	Mesure size=Ø Tamaño	SWL 5:1	A	C	D	Poids Weight Peso
	Ton	mm	mm	mm	mm	kg/100
DC 12 SS OS	12	0,18	118	24	20	25
DC 14 SS O	14	0,24	120	24	22	37

Naberan sareak sl

Mutrikuko Industrialdea 15 zb

20830 Mutriku (Gipuzkoa) Spain

Telf: +34943195122 Fax: +34943195125

naberan@naberan .com

D12

Naberan France

Avenue de la republique

29730 Le Guilvinec, France

Telf: +33(0)298582739 Fax: +33(0)298580475

naberan.france@wanadoo.fr