


Cable d'acier galvanisée Steel wire rope galvanized Cable de acero galvanizado



Naberan®
www.naberan.com

6xS19+IWRC

6xWS26+IWRC



TENACITÉ
TENACIDAD
TENSILE STRENGTH


1570 N/MM2

Seale 6xS19 et Wseale 6xWS26 amé metalic
Seale 6xS19 y Wseale 6xWS26 alma metálica

Codigo	Diametre	Poid/Peso	Min charge rup Kgf
Código	Diametro	Weight	Rotura Min Kgf
Code	Diameter	Kg/mts	Min Br load Kgf
5SE61916GM	16	0,98	15000
5SE61918GM	18	1,23	19000
5SE61920GM	20	1,60	24500
5SE61922GM	22	1,90	29500
5SE61924GM	24	2,20	34200
5SE61926GM	26	2,70	41500
5SE61928GM	28	3,10	47500

6xS19+FC

6xWS26+FC




Seale 6xS19 et Wseale 6xWS26 amé textil
Seale 6xS19 y Wseale 6xWS26 alma textil

Codigo	Diametre	Poid/Peso	Min charge rup Kgf
Código	Diametro	Weight	Rotura Min Kgf
Code	Diameter	Kg/mts	Min Br load Kgf
5SE61910GF	10	0,36	5500
5SE61912GF	12	0,53	7800
5SE61914GF	14	0,70	10400
5SE61916GF	16	0,90	13500
5SE61918GF	18	1,12	17000
5SE6XX20GF	20	1,45	22000
5SE6XX22GF	22	1,75	26500
5SE6XX24GF	24	2,00	31000
5SE6XX26GF	26	2,40	37100
5SE6XX28GF	28	2,89	43000

Cable de Fune Super Seale Trawl wire rope Super Seale Cable de Pesca Super Seale

6xS19+IWRC

6xWS26+IWRC




TENACITÉ
TENACIDAD
TENSILE STRENGTH
1570(out)/1770(in) N/MM2
DUAL

Seale 6xS19 et Wseale 6xWS26 amé metalic
Seale 6xS19 y Wseale 6xWS26 alma metálica

Codigo	Diametre	Poid/Peso	Min charge rup Kgf
Código	Diametro	Weight	Rotura Min Kgf
Code	Diameter	Kg/mts	Min Br load Kgf
5SS61916GM	16	0,98	15000
5SS61918GM	18	1,23	19000
5SS61920GM	20	1,60	24500
5SS61922GM	22	1,90	29500
5SS61924GM	24	2,20	34200
5SS61926GM	26	2,70	41500
5SS61928GM	28	3,10	47500

6xS19+FC

6xWS26+FC



Seale 6xS19 et Wseale 6xWS26 amé textil
Seale 6xS19 y Wseale 6xWS26 alma textil

Codigo	Diametre	Poid/Peso	Min charge rup Kgf
Código	Diametro	Weight	Rotura Min Kgf
Code	Diameter	Kg/mts	Min Br load Kgf
5SS61910GF	10	0,36	5500
5SS61912GF	12	0,53	7800
5SS61914GF	14	0,70	10400
5SS61916GF	16	0,90	13500
5SS61918GF	18	1,12	17000
5SS6XX20GF	20	1,45	22000
5SS6XX22GF	22	1,75	26500
5SS6XX24GF	24	2,00	31000
5SS6XX26GF	26	2,40	37100
5SS6XX28GF	28	2,89	43000

Naberan sareak sl

Mutrikuko Industrialdea 15 zb

20830 Mutriku (Gipuzkoa) Spain

Telf: +34943195122 Fax: +34943195125

naberan@naberan.com

U1

Naberan France

Avenue de la republique

29730 Le Guilvinec, France

Telf: +33(0)298582739 Fax: +33(0)298580475


naberan.france@wanadoo.fr

Cable de Fune Compact Seale Trawl wire rope Compact Seale Cable de Pesca Compact Seale



Naberan[®]
www.naberan.com


Compact 6xS19+IWRC Compact 6xS25+IWRC



Compact Seale 6xS19 et 6xS25 amé metalic
Compact Seale 6xS19 y 6xS25 alma metalica

TENACITÉ
TENACIDAD
TENSILE STRENGTH
1570(out)/1770(in) N/MM2
DUAL

Compact 6xS19+FC Compact 6xS25+FC



Compact Seale 6xS19 et 6xS25 amé textil
Compact Seale 6xS19 y 6xS25 alma textil


Codigo	Diametre	Poid/Peso	Min charge rup Kgf
Código	Diametro	Weight	Rotura Min Kgf
Code	Diameter	Kg/mts	Min Br load Kgf
5SC61916GM	16	1,20	20800
5SC61918GM	18	1,51	26000
5SC62520GM	20	1,75	30500
5SC62522GM	22	2,15	36600
5SC62524GM	24	2,50	42200
5SC62526GM	26	2,85	47800
5SC62528GM	28	3,43	58200

Codigo	Diametre	Poid/Peso	Min charge rup Kgf
Código	Diametro	Weight	Rotura Min Kgf
Code	Diameter	Kg/mts	Min Br load Kgf
5SC61912GF	12	0,59	11000
5SC61914GF	14	0,85	15200
5SC61916GF	16	1,13	17800
5SC61918GF	18	1,40	22100
5SC62520GF	20	1,65	26000
5SC62522GF	22	1,94	30500
5SC62524GF	24	2,26	35500
5SC62526GF	26	2,55	40800
5SC62528GF	28	3,03	49300

Cable Inox Stainless steel wire rope Cable inoxidable

6x19+IWRC

6x7+IWRC




Cable normal 6x19 et 6x7 amé metalic
Cable normal 6x19 et 6x7 alma metalica

TENACITÉ
TENACIDAD
TENSILE STRENGTH
1570 N/MM2

Inox 304 ou 316

6x19+FC

6x7+FC



Cable normal 6x19 et 6x7 amé textil
Cable normal 6x19 et 6x7 alma textil

Codigo	Diametre	Poid/Peso	Min charge rup Kgf
Código	Diametro	Weight	Rotura Min Kgf
Code	Diameter	Kg/mts	Min Br load Kgf
5IN60706AM	6	0,14	1850
5IN60708AM	8	0,25	3300
5IN61910AM	10	0,45	5100
5IN61912AM	12	0,65	7500
5IN61914AM	14	0,75	10000
5IN61916AM	16	0,98	13100
5IN61918AM	18	1,23	16500

Codigo	Diametre	Poid/Peso	Min charge rup Kgf
Código	Diametro	Weight	Rotura Min Kgf
Code	Diameter	Kg/mts	Min Br load Kgf
5IN60706AF	6	0,12	1700
5IN60708AF	8	0,22	3100
5IN61910AF	10	0,35	4700
5IN61912AF	12	0,50	6900
5IN61914AF	14	0,68	9400
5IN61916AF	16	0,88	12100
5IN61918AF	18	1,12	15500

Naberan sareak sl

Mutrikuko Industrialdea 15 zb
20830 Mutriku (Gipuzkoa) Spain

Telf: +34943195122 Fax: +34943195125

naberan@naberan.com

U2

Naberan France

Avenue de la republique
29730 Le Guilvinec, France

Telf: +33(0)298582739 Fax: +33(0)298580475


naberan.france@wanadoo.fr

6 Torones Cable Mixte 6 strands Combination Rope Combirop de 6 cabos



Naberan®
www.naberan.com


Combination rope 6x5, 6x6, 6x7 or 6x8+IWRC



**TENACITÉ
TENACIDAD
TENSILE STRENGTH**
1670 N/MM2

**Cable mixte 6x5, 6x6, 6x7 ou 6x8 amé metalic
Combirop 6x5, 6x6, 6x7 o 6x8 alma metalica**

Combination rope 6x6, 6x7 or 6x8+FC




**Cable mixte 6x6, 6x7 ou 6x8 amé textil
Combirop 6x6, 6x7 o 6x8 alma textil**

Codigo Código Code	Diametre Diámetro Diameter	Construcción Construction Construction	Poid/Peso Weight Kg/mts	Min charge rup Kgf Rotura Min Kgf Min Br load Kgf
6PS60508M	8	6 x 5	0.093	1600
6PS60610M	10	6 x 6	0.153	2600
6PS60712M	12	6 x 7	0.218	3600
6PS60814M	14	6 x 7	0.281	4650
6PS60816M	16	6 x 8	0.369	6200
6PS60818M	18	6 x 8	0.463	7400
6PS60820M	20	6 x 8	0.584	9700
6PS60822M	22	6 x 8	0.838	14200
6PS60824M	24	6 x 8	1.009	17000
6PS60826M	26	6 x 8	1.182	18900
6PS60828M	28	6 x 8	1.350	21600
6PS60830M	30	6 x 8	1.583	24900
6PS60832M	32	6 x 8	1.844	28900

Codigo Código Code	Diametre Diámetro Diameter	Construcción Construction Construction	Poid/Peso Weight Kg/mts	Min charge rup Kgf Rotura Min Kgf Min Br load Kgf
6PS60610F	10	6 x 6	0.11	2100
6PS60712F	12	6 x 7	0.14	2600
6PS60814F	14	6 x 8	0.209	3600
6PS60816F	16	6 x 8	0.265	4500
6PS60818F	18	6 x 8	0.354	5500
6PS60820F	20	6 x 8	0.436	6900
6PS60822F	22	6 x 8	0.594	9700
6PS60824F	24	6 x 8	0.697	11000
6PS60826F	26	6 x 8	0.830	12700
6PS60828F	28	6 x 8	0.951	14000

**PP OR Polysteel cover
Fourreau de PP ou Polysteel
Cubierto en PP o en Polysteel**

Combination rope 6x5, 6x6, 6x7 or 6x8+IWRC



**STAINLESS STEEL
INOX
INOXIDABLE**

**Cable mixte 6x5, 6x6, 6x7 ou 6x8 amé metalic
Combirop 6x5, 6x6, 6x7 o 6x8 alma metalica**

Codigo Código Code	Diametre Diámetro Diameter	Construcción Construction Construction	Poid/Peso Weight Kg/mts	Min charge rup Kgf Rotura Min Kgf Min Br load Kgf
6PS60608MI	8	6 x 6	0.09	1650
6PS60610MI	10	6 x 6	0.15	2600
6PS60712MI	12	6 x 7	0.19	3200
6PS60713MI	13	6 x 7	0.25	4500
6PS60614MI	14	6 x 8	0.28	4800
6PS60616MI	16	6 x 6	0.37	6400
6PS60618MI	18	6 x 6	0.46	7900
6PS60620MI	20	6 x 6	0.58	10000
6PS60822MI	22	6 x 8	0.87	15000

Naberan sareak sl

Mutrikuko Industrialdea 15 zb
20830 Mutriku (Gipuzkoa) Spain

Telf: +34943195122 Fax: +34943195125

naberan@naberan.com

U3

Naberan France

Avenue de la republique
29730 Le Guilvinec, France

Telf: +33(0)298582739 Fax: +33(0)298580475


naberan.france@wanadoo.fr

Maillete en 3,4, ou 6 torones Combination rope for Sweeps Malleta de 3 a 6 cordones



Polyéthylène, Nylon, Polyester, Polysteel

Ø	Min. Poids mts Min Weight mts Peso Mínimo	Poids mts Weight mts Peso Maximo	C.R. Total B.E. Total C.R. Total
mm	(100 mts.)	(100 mts)	
26	70	100	10.000
28	80	110	14.000
30	90	120	17.000
32	90	125	20.500
34	110	140	23.500
36	120	160	27.500
38	140	180	30.000
40	150	190	32.400
42	160	210	36.100
44	180	220	40.500
46	200	240	44.000
48	220	280	49.500
50	250	330	52.200



Coulisse Mixte pour la seine Combination seine net rope Jareta combinada

Mixte d'acier / Wired / Alambrada

Ø	Poids Weight Peso	C.R. Total B.E. Total C.R. Total
mm	(100 mts.)	
18	35	5500
20	39	7.600
22	41	8.100
24	54	8.700
26	58	9.200
28	62	9.500
28	68	9.800
30	72	10.100
32	88	11.500
34	106	13.800
36	110	14.300
38	135	17.500
40	140	18.200
40	160	20.800
40	170	22.100
50	200	22.400
52	210	25.200
60	300	36.000

Plombée / Leded / Aplomada

Ø	poids Weight Peso	C.R. Total B.E. Total C.R. Total
mm	(100 mts.)	
18	24	2.400
20	30	3.100
22	36	4.000
24	41	4.700
26	50	5.800
28	56	6.700
30	66	7.900
32	75	9.200



Naberan sareak sl

Mutrikuko Industrialdea 15 zb
20830 Mutriku (Gipuzkoa) Spain

Telf: +34943195122 Fax: +34943195125

naberan@naberan .com

U4

Naberan France

Avenue de la republique
29730 Le Guilvinec, France

Telf: +33(0)298582739 Fax: +33(0)298580475

naberan.france@wanadoo.fr