



MANCHONS · **FERRULES** · CASQUILLO
PARA CABLE / TERMINAISONS ·
TERMINALS · TERMINALES



MANCHON ALU · ALU-FERRULES "8" · CASQUILLO P/CABLES "8" ALUMINIO



REF.	MESURE SIZE=Ø TAMAÑO mm	EMB. LONGUEUR FERRULE LENGHT LARGURA DEL CASQ. mm	POID WEIGHT PESO Kg/100
4CQTSU10	10	30	1,8
4CQTSU11	11	35	2,7
4CQTSU12	12	39	3,6
4CQTSU13	13	44	4,8
4CQTSU14	14	46	6,2
4CQTSU16	16	53	8,3
4CQTSU18	18	60	11,6
4CQTSU20	20	67	17,3
4CQTSU22	22	70	24
4CQTSU24	24	80	30,4
4CQTSU26	26	87	39
4CQTSU28	28	95	50
4CQTSU30	30	101	62

MANCHON D'ACIER · STEEL-FERRULES · CASQUILLO P/CABLE ACERO



T STD



T ST

REF.	MESURE SIZE=Ø TAMAÑO mm	EMB. LONGUEUR FERRULE LENGHT LARGURA DEL CASQ. mm	POID WEIGHT PESO Kg/100
4CQTSTD08	8	28	4,2
4CQTSTD10	10	35	7,8
4CQTSTD12	12	42	13
4CQTSTD13	13	46	17
4CQTSTD14	14	49	22,5
4CQTSTD16	16	56	32
4CQTSTD18	18	63	46
4CQTST28	16/17	52	18,45
4CQTST32	18/19	58	23,85
4CQTST34	20/21	63	29,7
4CQTST38	22/23	68	35,55
4CQTST42	24/25	75	63,55
4CQTST44	26/27/28	82	67,5
4CQTST48	29/30	96	85,5
4CQTST52	31/32	100	103,5
4CQTST56	33/34	107	114,75
4CQTST60	35/36	113	146,25
4CQTST68	39/40	127	191,25

NABERAN SAREAK S.L.

Mutrikuko Industrialdea 15
20830 Mutriku - Gipuzkoa
+34 943 195 122 | naberan@naberan.com

NABERAN FRANCE SARL

Avenue de la République
ZA Poriguenor | 29730 Le Guilvinec (France)
+33 298 582 739 | david@naberan.com

MANCHON CUIVRE · **COPPER FERRULES** · CASQUILLO P/CABLES COBRE

REF.	MESURE SIZE=Ø TAMAÑO mm	EMB. LONGUEUR FERRULE LENGHT LARGURA mm	POID WEIGHT PESO Kg/100
4CQTK03	3	11	0,3
4CQTK035	3,5	13	0,5
4CQTK040	4	14	0,7
4CQTK045	4,5	16	1
4CQTK05	5	18	1,4
4CQTK06	6	21	2,1
4CQTK065	6,5	23	2,6
4CQTK07	7	25	3
4CQTK08	8	28	4
4CQTK09	9	32	4,7
4CQTK10	10	35	7
4CQTK11	11	39	11
4CQTK12	12	42	13
4CQTK13	13	46	15
4CQTK14	14	49	24,3
4CQTK16	16	56	26
4CQTK18	18	63	52
4CQTK20	20	70	63
4CQTK22	22	78	75



NABERAN SAREAK S.L.

Mutrikuko Industrialdea 15
20830 Mutriku - Gipuzkoa
+34 943 195 122 | naberan@naberan.com

NABERAN FRANCE SARL

Avenue de la République
ZA Poriguenor | 29730 Le Guilvinec (France)
+33 298 582 739 | david@naberan.com

MANCHON ALU "Z" · ALU-FERRULES "Z" · CASQUILLO P/CABLES "Z" ALU.

REF.	MESURE SIZE=Ø TAMAÑO mm	EMB. LONGUEUR FERRULE LENGHT LARGURA DEL CASQ. mm	POID WEIGHT PESO Kg/100
4CQTZ03	3	11	0,09
4CQTZ3.5	3,5	13	0,15
4CQTZ04	4	14	0,19
4CQTZ4.5	4,5	16	0,26
4CQTZ06	6	21	0,6
4CQTZ08	8	28	1,4
4CQTZ09	9	32	2
4CQTZ10	10	35	2,7
4CQTZ12	12	42	4,6
4CQTZ14	14	49	7,4
4CQTZ16	16	56	11,1
4CQTZ18	18	63	15,9
4CQTZ20	20	70	21,7
4CQTZ22	22	77	29,1
4CQTZ24	24	84	37,5
4CQTZ26	26	91	47,9
4CQTZ28	28	98	60
4CQTZ30	30	105	73,4
4CQTZ32	32	112	89,4
4CQTZ34	34	119	108
4CQTZ36	36	126	127
4CQTZ38	38	133	149
4CQTZ40	40	140	173
4CQTZ42	42	147	202
4CQTZ44	44	154	236
4CQTZ46	46	161	266
4CQTZ48	48	168	293
4CQTZ50	50	175	340
4CQTZ52	52	182	380
4CQTZ54	54	189	412
4CQTZ56	56	196	470
4CQTZ58	58	203	520
4CQTZ60	60	210	575



ENTRETOISE · CILINDRYC WEIGHT · LASTRE CILÍNDRICO

REF.	MESURE SIZE=Ø TAMAÑO mm	LONGUEUR LENGHT LARGO mm	DIAM EXT.	POID WEIGHT PESO Kg/100
4LSMR050-50-27	27	50	50	0,6
4LSMR050-70-27	27	50	70	1,3
4LSMR055-60-27	27	60	55	1
4LSMR065-60-27	27	60	65	1,2
4LSMR100-50-27	27	100	50	1,2




NABERAN SAREAK S.L.

Mutrikuko Industrialdea 15
20830 Mutriku - Gipuzkoa
+34 943 195 122 | naberan@naberan.com

NABERAN FRANCE SARL


Avenue de la République
ZA Poriguenor | 29730 Le Guilvinec (France)
+33 298 582 739 | david@naberan.com

TERMINAISONS · CLOSED END TERMINALS · TERMINALES DE PRENSA



REF.	MESURE STR/SIZE TAMAÑO mm	A mm	B mm	C mm	D mm	E mm	F mm	Ø mm	CALANDRAGE AFTER PRESSING PRENSADO mm	POIDS WEIGHT PESO Kg	BAILLON DE EMBOUTISSAGE SW AGING DIES MORDAZAS DE PRENSA	PRESSION REQUISE REQUIRED PRESSURE POTENCIA DE LA PRENSA Ton
4TMNE10	10	20	42	130	25,7	41	68	10,5	22	0,4	DIE-NE-22	150
4TMNE12	12	20	42	130	25,7	41	68	12,5	22	0,4	DIE-NE-22	150
4TMNE14	14	36	75	200	32	55	96	14,5	28	1,2	DIE-NE-28	250
4TMNE16	16	36	75	200	32	55	96	16,5	28	1,15	DIE-NE-28	250
4TMNE18	18	36	75	200	32	55	96	18,5	28	1,1	DIE-NE-28	250
4TMNE20	20	43	87	230	40,5	56	130	20,5	36	2,05	DIE-NE-36	300
4TMNE22	22	43	87	230	40,5	56	130	22,5	36	1,95	DIE-NE-36	300
4TMNE24	24	43	87	230	40,5	56	144	24,5	36	1,85	DIE-NE-36	300
4TMNE26	26	48	90	241	51,5	65	155	27	44	3,6	DIE-NE-44	600
4TMNE28	28	48	90	241	51,5	65	155	29	44	3,5	DIE-NE-44	600
4TMNE30	30	48	90	241	51,5	65	155	31	44	3,4	DIE-NE-44	600

TERMINAISONS · TERMINALS FLEX · TERMINALES FLEXIBLES



REF.	MESURE STR/SIZE TAMAÑO mm	A mm	B mm	C mm	D mm	E mm	Ø mm	CALANDRAGE AFTER PRESSING PRENSADO mm	POIDS WEIGHT PESO Kg	BAILLON DE EMBOUTISSAGE SW AGING DIES MORDAZAS DE PRENSA	PRESSION REQUISE REQUIRED PRESSURE POTENCIA DE LA PRENSA Ton
4TMNE14F	42	75	123	32	50	14,5	28	1,2	14	DIE-NE-28	250
4TMNE16F	42	75	133	32	50	16,5	28	1,2	16	DIE-NE-28	250
4TMNE18F	42	75	143	32	50	18,5	28	1,2	18	DIE-NE-36	250
4TMNE20F	56	100	175	42,5	57	20,5	36	3,1	20	DIE-NE-36	300
4TMNE22F	56	100	185	42,5	57	22,5	36	3,1	22	DIE-NE-36	300
4TMNE24F	56	100	195	42,5	57	24,5	36	3,1	24	DIE-NE-36	300


NABERAN SAREAK S.L.

Mutrikuko Industrialdea 15
20830 Mutriku - Gipuzkoa
+34 943 195 122 | naberan@naberan.com

NABERAN FRANCE SARL


Avenue de la République
ZA Poriguenor | 29730 Le Guilvinec (France)
+33 298 582 739 | david@naberan.com

TERMINAISONS POUR CONNECTEURS · TERMINALS FOR CONECTORS · TERMINALES POR CONECTORES



REF.	A mm	A1 mm	B mm	C mm	D mm	F mm	G mm	Ø mm	POUR CONNECTEURS FOR CONECTORS PARA CONECTOR no.	CALANDRAGE AFTER PRESSING PRENSADO mm	POIDS WEIGHT PESO Kg	BAILLON DE EMBOUTISSAGE SW AGING DIES MORDAZAS DE PRENSA	PRESSION REQUISE REQUIRED PRESSURE POTENCIA DE LA PRENSA Ton
4TMNE 14C	26,5	26,5	48	106	32	58	25	14,5	13	28	0,6	DIE-NE-28	250
4TMNE 16C	26,5	26,5	48	106	32	60	25	16,5	13	28	0,6	DIE-NE-28	250
4TMNE 18C	30	31	60	133	41	69	33	18,5	16	36	1,2	DIE-NE-36	300
4TMNE 20C	30	31	60	141	41	78	33	20,5	16	36	1,2	DIE-NE-36	300
4TMNE 22C	34	35	72	161	41	84	38	22,5	19	36	1,6	DIE-NE-36	300
4TMNE 24C	34	35	72	169	41	91	38	24,5	19	36	1,6	DIE-NE-36	300
4TMNE 26C	38	39	78	185	51	100	42	27	22	44	2,5	DIE-NE-44	600
4TMNE 28C	38	39	78	193	51	107	42	29	22	44	2,5	DIE-NE-44	600
4TMNE 30C	38	39	78	201	51	116	42	31	22	44	2,5	DIE-NE-44	600
4TMNE 32C	38	39	78	211	51	125	42	33	22	44	2,5	DIE-NE-44	600
4TMNE 34C	44	44	90	240	56	131	40	35	26	48	3,4	DIE-NE-48	600
4TMNE 36C	44	44	90	250	56	140	40	37	26	48	3,3	DIE-NE-48	600

MANCHOIRES · SWAGING DIES · MORDAZAS DE PRENSA



REF.	A mm	B mm	C mm	D mm	E mm	Ø mm	DIE no.	POIDS WEIGHT PESO Kg
DIE-NE-22	68	80	78	15	30	22	11	6,5
DIE-NE-28	85	80	78	15	30	28	14	8
DIE-NE-36	105	100	78	15	30	36	18	12
DIE-NE-44	119	100	78	15	30	44	22	13,5
DIE-NE-48	126	156	110	18	35	48	24	31,4

NABERAN SAREAK S.L.

Mutrikuko Industrialdea 15
20830 Mutriku - Gipuzkoa
+34 943 195 122 | naberan@naberan.com

NABERAN FRANCE SARL

Avenue de la République
ZA Poriguenor | 29730 Le Guilvinec (France)
+33 298 582 739 | david@naberan.com

PRESSE HYDRAULIC · HYDRAULIC SWAGINGMACHINE · PRENSA HIDRAULICA



WP-160c



WP-300c



WP-600c



WP-1000

REF.	CAPACITÉ CAPACITY CAPACIDAD Ton	COLONES COLUMNS COLUMNAS	MAX. Ø CÂBLE MAX. WIRE ROPE MAX. Ø CABLE mm	POIDS WEIGHT PESO Kg
WP-160c	160	1	16	850
WP-300c	300	1	26	1800
WP-600c	600	1	38	5200
WP-1000	1000	2	48	7500

NABERAN SAREAK S.L.

Mutrikuko Industrialdea 15
20830 Mutriku - Gipuzkoa
+34 943 195 122 | naberan@naberan.com

NABERAN FRANCE SARL

Avenue de la République
ZA Poriguenor | 29730 Le Guilvinec (France)
+33 298 582 739 | david@naberan.com